

Vascular Diagnostic Systems Since 1979

simple ABI NK



ABI-Q SCREENING TEST QUICKLY FINDS HIDDEN PAD

Ideal for clinics needing a fast, simple PAD test requiring minimal user time and training.

Now included in all Cuff-Link Systems.

YOUR PATIENTS TRUST YOU

FIND THEIR PERIPHERAL ARTERY DISEASE (PAD) BEFORE THEY HAVE A HEART ATTACK, STROKE, AMPUTATION, OR DIE

1 in 3
DIABETICS OVER
THE AGE OF 50
IS LIKELY TO HAVE PAD



- OVER AGE 65
- SMOKERS OVER AGE 50
- HIGH BLOOD PRESSURE



OVER 50%DON'T REALIZE THEY HAVE PAD

BUT WILL HAVE THE SAME OUTCOMES

- 21% INCREASED RISK OF HEART ATTACK, STROKE OR DEATH WITHIN ONE YEAR
- TWO- TO SIX-FOLD INCREASE IN CARDIOVASCULAR MORTALITY AND SIGNIFICANTLY INCREASED RISK OF AMPUTATION, DISABILITY AND DIMINISHED QUALITY OF LIFE

"VASCULAR SCREENING...WOULD

SAVE MORE LIVES

THAN ALL OTHER SCREENING SERVICES CURRENTLY RECOMMENDED" 1

1. Joshua Beckman MD. "Shouldn't USPTF Follow it's Own Rules?" MedPage Today, April 05, 2019


THE INFORMATION YOU NEED


QUICKLY & INTUITIVELY

EASY TO USE

- PUSH BUTTON OPERATION
- AUTOMATIC CALCULATIONS AND WAVEFORMS • DIRECT FULL-PAGE REPORTS TO SAVE, SHARE














EXERCISE

FIND YOUR PERFECT TESTING SOLUTION



EXCELLENT REIMBURSEMENT

Vascular testing is reimbursed through fee-for-service, risk adjustment in managed care, and direct payment in concierge practices and screening. A typical practice can generate a significant return on investment.

REQUEST A DEMO | 800-267-5549 newman-medical.com

Basic "Gold Standard" ABI Doppler test for PAD

Toe pressure when artery is incompressible

Resting ABI normal but symptoms exist

MULTI-LEVEL SEGMENTAL REPORTS

EXERCISE TEST USING TREADMILL

Resting ABI normal but symptoms exist - FULL TREADMILL PROTOCOL

TBI REPORT WITH PPG

POST-EXERCISE REPORT

Locate region of occlusion

