

DIGIDOP "CLASSIC" DD-301

Newman  Medical 



VASCULAR



NON-DISPLAY



RECHARGEABLE



American-Made
Quality



Includes labor, parts,
and accidental
breakage



Includes cords
and probes



Rechargeable



Vascular | Non-Display Doppler System

Don't settle for less than the best with the DigiDop Classic Doppler. This handheld device features Digital Sound Clarity™, ensuring exceptional clarity and accurate readings during examinations. The Classic's standard size provides a comfortable grip and allows for easy portability within your practice. Furthermore, the DigiDop Classic boasts a long battery life, eliminating downtime during your workday.

The DigiDop Classic is built to last. Manufactured in the USA with high-quality materials, each DigiDop undergoes rigorous testing by Newman Medical to guarantee unwavering performance. Invest in the DigiDop Classic and experience the confidence that comes with a trusted and reliable Doppler system.

DigiDop Doppler - The Clear Choice in Diagnostics

Unmatched Clarity, Unwavering Support:

- **Hear the Difference:** Digital Sound Clarity DSC™ amplifies the signal up to 6x for exceptional diagnostic accuracy.
- **American-Made Advantage:** Designed, manufactured, and serviced in the U.S. for guaranteed quality.
- **Built to Endure:** Unbreakable probe holder ensures longevity and reliability.
- **Seamless Flexibility:** All probes are interchangeable for maximum efficiency.

Confidence-Inspiring Warranty:

- **5-Year Worry-Free Coverage:** Our honest warranty covers all parts and labor, with no hidden diagnostic fees.
- **Rechargeable Convenience:** (on applicable models) eliminates the need for constant battery replacements.

Newman Medical: Your Trusted Partner in Ultrasound:

- **A Legacy of Innovation:** The Newman family has pioneered advancements in Doppler technology since the 1970s.
- **Founders of Industry Leaders:** Instrumental in the establishment of Imex Medical Systems (Nicolet/Natus) and Summit Doppler.
- **Commitment to Progress:** We continuously develop cutting-edge diagnostic solutions.
- **Your Success is Our Priority:** Focused on building long-term partnerships and exceeding expectations.

DIGIDOP "CLASSIC" DD-301

VASCULAR | NON-DISPLAY DOPPLER SYSTEM



Accessories



Recharging Wall/Table Base (ACC-111)



Roll Stand (STND-111)



Carry Bag (ACC-170)



Ultrasound Gel
8.8oz | 2.1oz
(GEL-110) (GEL-100)

ALWAYS BE READY

Register your rechargeable Doppler online to receive a FREE recharging base:



Smart Recharge System

NEW



SIMPLIFY VASCULAR ASSESSMENTS WITH THE STEADYDOP PROBE

Its unique stethoscope-like grip and optimized design ensure easy vessel tracking. Compatible with Newman Medical's DigiDop & simpleABI systems. Optional accessory.

Contact your Newman Medical rep for details.



Ask about our Doppler Recycling Program

Ordering Information

Doppler System

SKU	DESCRIPTION
DD-301	Non-Display Vascular Doppler System

Interchangeable Probe Choices

SKU	DESCRIPTION
D5	5 MHz Vascular
D5-SD	5 MHz SteadyDop Vascular
D8	8 MHz Vascular
D8-SD	8 MHz SteadyDop Vascular
D2	2 MHz Fetal
D3	3 MHz Fetal



Accessories

SKU	DESCRIPTION
ACC-111	Recharging Wall/Table Base
ACC-140	Domestic DigiDop USB Recharger
ACC-170	Carry bag for handheld Dopplers
STND-111	Roll stand with basket
GEL-110	Ultrasound gel 8.8oz 12/box
GEL-100	Ultrasound gel 2.1oz 12/box

How to order your Doppler

DOPPLER SYSTEM CODE (DD-###) - PROBE CODE (D#)

Example: **DD-770-D3**

DD-301 Technical Specifications

Dimensions:	150 x 65 x 35 mm (6 x 2.5 x 1.25 in)
Weight:	340 grams (12 ounces)
Battery Type:	3 x 1.5 nominal volts (AA/R6)
Level of Protection against electrical shock:	Type B Applied Part, Class II Equipment
Comply with the following Standards:	IEC60101-1, IEC60601-2, IEC60601-2-37
Operating Temperature:	10° ~ 40°C (50° ~ 104°F)
Operating Humidity:	30% ~ 75%
Transport/Storage Temperature:	-20° ~ 50°C (-4° ~ 122°F)
Transport/Storage Humidity:	5% ~ 90%, non-condensing
Battery Life (AA/R6):	600 mins (NiMH), 800 mins (Alkaline)
Heart Rate Range:	50 ~ 220 BPM
Heart Rate Calculation Accuracy:	±3 BPM
Sensitivity:	9 weeks gestation (3MHz)
Audio Cable Interface:	3.5mm stereo plug
Audio Output Power:	1.1W
GTIN:	852785008876

The DigiDop PRODUCT FAMILY

DigiDop "Classic"



- Standard size
- Longer battery life than similar competitor products

DigiDop II



- Smaller size
- Ergonomic - fits comfortably in your hand
- Similar battery life to competitor products

DigiDop 901 Tabletop

- Ideal for hospital use
- Great room-filling sound from two speakers on top
- Two probe cradles
- Standard drop-on charging pyramid
- Optional wall mount recharger

